

telehook

Flat screen wall mount | full motion TH-2050-VFM

Fits most displays from 22" to 47"



Mounting hole pattern:

100mm x 100mm	200mm x 100mm
200mm x 200mm	300mm x 200mm
300mm x 300mm	400mm x 300mm
400mm x 400mm	400mm x 200mm




Maximum weight carrying capacity:
35kg (77lbs)

The TH-2050-VFM is a cutting-edge full motion mount with incredible versatility. User friendly features are at the heart of the design, with Telehook's Smooth Glide™ thrust bearing technology to effortlessly move any display up to 35kg (77lbs). The strong articulated arms allow the screen to be pulled out from the wall and turned for any viewing position. The VESA mounting hole plate ensures this die cast aluminium mount is compatible with a vast range of displays. It comes pre-assembled, with a design that guarantees quick and easy installation. The quick attachment/quick release mechanism allows you to install and detach your display in seconds.



Product key features:

- Contemporary design
- Offers a full range of motion for any viewing angle
- Comes pre-assembled for quick and easy installation
- Display tilt adjustment: 5° up and 20° down
- Display horizontal adjustment: 5° left and 5° right for levelling
- Maximum distance from wall: 540mm (21.25")
- Minimum distance from wall: 110mm (4.3")
- Quick attachment/quick release mechanism with a security feature
- Advanced cable management
- Comes with all mounting hardware for masonry, and timber stud installation



Atdec North America www.atdec.com
Atdec Global www.atdec.com.au

Product information, single unit

Load capacity	Material	Color
35kg (77lbs)	Steel/Aluminum	Silver with Black

Package information, single unit

Size	Ship weight	UPC code	Contents
36mm x 35mm x 13mm (14.25" x 14" x 5")	5.48kg (12.2lbs)	881493004733	All hardware required for installation supplied

Package information, master pack

Size	Ship weight	UPC	Units per master pack
38mm x 38mm x 54mm (15" x 15" x 21.25")	22.76kg (50.6lbs)	881493004689	4

Technical drawings

